

www.scooterland.net.au

Scooterland Mobility

Scooterland Mobility was incorporated circa 2001 and is an individually owned business specialising in the supply of mobility equipment such as Mobility Scooter, Wheelchairs, Daily Living Aids, and offers sales, service and repair, and hire to Logan through to the Gold Coast and Hinterland.

At Scooterland, we work closely with our clients to establish their needs and offer a solution that suits any budgets and purposes.

Who do we work with...

- People who want the freedom of Independent living
- Support organisations including support service agencies, aged care facilities
- Shopping centres, theme parks and the tourist industry, to provide mobility solution to visitors, shoppers and holiday makers
- Government programs such as N.D.I.S, M.A.S.S., CAEATI and DVA that provide subsidised equipment and support services



Looking for something else that is not on our catalogue, email us at sales@scooterland.net.au, we can source it for you.







Comet Ultra

Feature:

- 1. Max Weight Capacity: 220Kg
- 2. Larger Seat and bigger Motor
- 3. Improved Suspension
- 4. Reinforce Seat Column
- 5. Reinforced Height and Width adjustable armrest

Invacare	- Comet	Ultra						
Length	Width	Height	Max Climb	Ground	Max	Max	Speed	Weight
Length	width neight		IVIAX CIIIID	Clearance	Slope	Distance *	(Max)	Capacity
1450mm	665-685 mm	1055-1120mm	100mm	100mm	10°	58km	10kmh	220kg
Bat	terv	Motor Ca	pacity	Charger	Turning	Seat Depth	seat	UnitWeight
	,			charger	Radius	ocur bepair	Width	omerecigne
12V75Ah x 2		650W/1800 W (P)		8A onBoard	1375mm	535mm	660mm	63kg
• on Full Ba	ttery				Based on I	manufacture	r's specifica	tion



Comet Alpine+

Feature:

- 1. Max Weight Capacity: 160Kg
- 2. Big Motor for handling uneven terrain or steeps hills
- 3. Improved Suspension
- 4. Reinforce Seat Column

Invacar	e - Comet	Alpine+						
Length	Width	Height	Max Climb	Ground	Max	Max	Speed	Weight
Length	widti	neight	IVIAX CIIIID	Clearance	Slope	Distance *	(Max)	Capacity
1450mm	665-685 mm	940-1120mm	100mm	100mm	10°	58km	10kmh	160kg
Do	tterv	Motor Ca	nacity	Charger	Turning	Seat Depth	seat	Unit
Ба	ttery	Wiotor Ca	pacity	Charger	Radius	seat Deptil	Width	Weight
12V75Ah x 2 650W/1800 W			0 W (P)	8A onBoard	1375mm	535mm	510mm	63kg
• on Full Ba	attery				Based on	manufacture	r's specificat	tion



All Invacare Scooter comes with 14 Month Free 24/7Roadside Assist

Pegasus Pro

Feature:

- 1. Max Weight Capacity: 160Kg
- 2. Handbrake for immediate braking
- 3. Can handle uneven terrain
- 4. Heavy Duty Frame

Invacar	e Pegasus	Pro						
Length	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight
Length	widti	neight	Climb	Clearance	Slope	Distance*	Speeu(Iviax)	Capacity
1320mm 665-685mm 950-102		950-1020	100mm	100mm	10°	52km	10km/h	160kg
Pat	ttery	Motor		Turning Radius	Weight	Seat	Seath Depth	BackRest
Da	ttery	IVIOLOT		Turring Radius	Weight	Width	Seath Depth	Height
2 x 12 V 75 Ah 240W/:		240W/1	600W(P)	2750mm	136kg	510mm	460mm	490-630mm
• on Full Ba	attery	P- Peak Pe	erformance	2	Based on i	manufacture	er's specificatio	n

colors available:

Marble White Sapphire Blue Jade Green Luxor Beige Crystal Copper Carmine Red Iconic Chrome Diamond Silver Electric Blue Jasper Red







1. Max Weight Capacity: 136Kg

2. Handbrake for immediate braking

3. Can handle uneven terrain

4. **Heavy Duty Frame**



Invacar	e Pegasus	Metro						
Length	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight
Length	width	neight	Climb	Clearance	Slope	Distance*	Speed(Max)	Capacity
1320mm	665-685mm	950-1020	100mm	100mm	10°	52km	10km/h	136kg
Do	tterv	Motor		Turning Radius	Weight	Seat	Seath Depth	BackRest
Dd	ttery	iviotor		Turning Radius	weight	Width	Seath Depth	Height
2 x 12 V 50 Ah		240W/1600W(P)		2750mm	110kg	510mm	460mm	490-630mm
* on Full Battery P- Peak F			erformance	a .	Based on I	manufacture	er's specificatio	ın



Leo

Feature:

Max Weight Capacity: 136Kg 1.

2. Good to use in shopping centre and retirement village

3. Comfortable seats

Invacare	e Leo							
Length	Width	Height	Max	Max Ground		Max	Speed(Max)	Weight
Length	width	neight	Climb	Clearance	Slope	Distance*	Speed(Max)	Capacity
1220mm	410mm	950-1020	60mm	70mm	10°	36km	8km/h	160kg
Dat	ton	Motor		Turning Radius	Weight	Seat	Seath Depth	BackRest
Ва	ttery	IVIOLOT		Turning Radius	weight	Width	Seath Depth	Height
2 x 12 V 36Ah		240)W	1310mm	136kg	470mm	460mm	475mm
on Full Battery P- Peak P			erformance	2	Based on	manufacture	er's specificatio	n



Colibra—Pull Apart

Feature:

1. Max Weight Capacity: 136Kg

2. Effortless dismantling

3. Comes in 5 colors

Ergonomically deisgned



Front Section	15.6Kg
Drive Unit	9.6kg
Seat	9.6kg
Battery Box	14.1kg



Invacare	e Colibri							•
Length	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight
Length	width	neight	Climb	Clearance	Slope	Distance*	speeu(iviax)	Capacity
1010mm 510mm 970-810mm		50mm	50mm	6°	16km	8km/h	136kg	
Dott		Mot		Turning Dadius	Weight	Seat	Seath Depth	BackRest
Battery		IVIOL	.01	Turning Radius	weight	Width	Seath Depth	Height
2 x 12 V 18Ah 200		W	2200mm	-	470mm	400mm	390mm	
* on Full Battery P- Peak Pe			formance		Based on	manufacture	er's specificatio	n





HS 928— Harley of CTM

Feature:

1. Max Weight Capacity: 220Kg 2. Larger Seat and bigger Motor

3. Improved Suspension

4. Reinforce Seat Column

38 cm Front and Back Wheels 5.

CTM HS	928							
Length	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight
Length	wiatn	neight	Climb	Clearance	Slope	Distance*	Speed(Max)	Capacity
1600mm	720mm	1280mm	60mm	110mm	9°	50km	10km/h	226kg
Batt	tone	Mot	or	Turning Radius	Weight	Seat	Seath Depth	BackRest
Datt	tery	IVIO	.UI	Turring Radius	weight	Width	Seath Depth	Height
2 x 12 V 100Ah 800		W	1860mm	178kg	559mm	-	-	
on Full Battery					Based on I	manufacture	er's specificatio	n



Feature:

1. Max Weight Capacity: 181Kg

2. Powerful Motor for handling uneven terrain or steeps hills

3. Front & Back Suspension for better comfort

4. Comes in Red, Black

CIMIHS	898 Bra	vo - Heav	y Duty					
Length	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight
Length	Length Width		Climb	Clearance	Slope	Distance*	Speed(Max)	Capacity
1440mm	720mm	1360mm	70mm	100mm	10°	48km	10km/h	181kg
Pot	terv	Motor		Turning Radius	Weight	Seat	Seath Depth	BackRest
Dat	tery	IVIOLOI		Turning Radius	weight	Width	Seath Depth	Height
2 x 12 V 50Ah		850W		1600mm	117kg	520mm	-	-
on Full B	on Full Battery				Based on r	manufacture	r's specification	

HS 589 - Powerful

Feature:

1. Max Weight Capacity: 135Kg

2. Can handle uneven terrain

3. **Heavy Duty Frame**

4. High Ground Clearance

Anti-Fatigue Delta Handle Bar 5.

Colour available: Red, Green & Blue 6.

CIMIHS	589							
Length	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight
Length	Length Width		Climb	Clearance	Slope	Distance*	Speeu(Iviax)	Capacity
1290mm	625mm	980mm	50mm	87mm	12°	40km	10km/h	135kg
Rat	tony	Mot	or	Turning Radius	Weight	Seat	Batt Charger	BackRest
Dat	Battery		.OI	Turring Radius	weight	Width	batt Charger	Height
2 x 12 V 50Ah		700W		1600mm	98kg 455mm 5A Off Board		5A Off Board	-
on Full B	attery				Based on r	manufacture	r's specification	









HS 558 — Shopping Companion



1. Max Weight Capacity: 136kg

2. Good to use in shopping centre and retirement village

3. Captain seat for comfort

4. Colour available : Red, Blue & Green



CTM HS	558							
Length Width		Height	Max	Ground	Max	Max	Speed(Max)	Weight
Length			Climb	Clearance	Slope	Distance*	Speeu(iviax)	Capacity
1200mm	620mm	1190mm	50mm	87mm	10°	34km	10km/h	136kg
Pot	tery	Motor		Turning Radius	Weight	Seat	Bott Charger	BackRest
Dat	tery	IVIOL	.01	Turriing Radius	weight	Width	Batt Charger	Height
2 x 12 V 36Ah		455W		1540mm	87kg 455mm 5A Off Board		5A Off Board	-
on Full Battery					Based on r	manufacture	r's specification	

HS 360B— Stable Compact

Feature:

1. Max Weight Capacity: 135Kg

2. Ideal for Village/ local environment

3. Great value for standard scooter

4. Comes in Red, & Blue



CTM HS	360B							
Length	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight
Length	witti	neight	Climb	Clearance	Slope	Distance*	Speeu(Iviax)	Capacity
1160mm	550mm	950mm	50mm	90mm	8°	34km	8km/h	135kg
Pat	tery	Mot	or	Turning Radius	Weight	Seat	Batt Charger	BackRest
Dat	tery	IVIO	.01	Turriing Radius	weight	Width	Batt Charger	Height
2 x 12 V 35Ah 450		W	1415mm	97kg	460mm	5A OffBoard	-	
on Full Battery					Based on r	manufacture	r's specification	

HS 115/118-3/4 Wheels Pull Apart

Feature:

1. Max Weight Capacity: 115g

2. Easily dismantlable and assembled

3. Can fit in car boot

4. Anti-Fatigue Delta Handle Bar

5. Colour available: Red,& Blue

Chasis	11.8kg
Drive Unit	9.6kg
Seat	8kg
Battery Box	8.5kg



CTM HS	118/115)						
Length	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight
			Climb	Clearance	Slope	Distance*		Capacity
1000mm	510mm	905mm	35mm	30mm	8°	10km	8km/h	115kg
Battery Mo		or Turning Badius	Weight	Seat	Datt Charger	BackRest		
		IVIO	.01	Turning Radius	weight	Width	Batt Charger	Height
2 x 12 V 12Ah 240W		W	1270mm	-	425mm	1.8A OnBoard	-	
on Full B	attery		Based on manufacturer's specification					



Liteway 3/4—3 / 4 wheel

Feature:

1. Max Weight Capacity: 135Kg

2. Rugged Tubular Frame

3. Spacious Leg room

4. Easily dismantlable

Chasis	14.9kg
Drive Unit	12.2kg
Seat	10kg
Rattery Rox	10.2kg





Feature:

1. Max Weight Capacity: 136kg

2. Powerful Motor to handling longer distance

3. 3 Battery Packs available for extended usage

4	Swivel Seat for co	amfort
4.	SWIVEL SEAL IOL C	וטווווו

Front section	14.9kg
Drive Unit	12.2kg
Seat	15kg
Fach Battery Box	10.2kg

Liteway	8							
Length	Width	Height	Max Climb	Ground Clearance	Max Slope	Max Distance*	Speed(Max)	Weight Capacity
1200mm	590mm	1220mm	50mm	50mm	8°	38km	10km/h	135kg
Battery Mot		or	Turning Radius	Weight	Seat Width	Batt Charger	BackRest Height	
4 x 12 V 15Ah 300		W	1400mm	-	- 460mm 5A OffBoard		-	
* on Full Battery				Based on r	manufacture	r's specification		





1. Max Weight Capacity: 115Kg

2. Fold and unfold in 3 sec

3. Lightweight scooter only 24 kg (w/o battery)

4. Lithium battery certified for air travel

Traveller S19 - 0	Quest					
Folded	Unfolded	Ground	Max	Max	Speed	Weight
roided	Olliolded	Clearance	Slope	Distance *	(Max)	Capacity
750x485x45mm	930x485x945mm	78mm	6°	20km	6.4kmh	115kg
Battery	Motor Capacity	Charger	Turning Radius	Seat Depth	seat Width	unit Weight
24V 11.5Ah	4 Pole 270W	2.5Ah Li-Ion	820mm	330mm	16"	22kg
on Full Battery	tery Based on manufacturer's specification					





Luggie Standard					
Unfolded Dimension	Ground	Datton	Max Climb	Max	Weight
	Clearance	Battery		Distance*	Capacity
85(W)x64(L) x98(H) cm	64mm	8.5 Amp	60mm	18km	113kg
Folded Dimon	Turning	Max Slope	Speed(Ma	Wolaht	
Folded Dimension		Radius	wax stope	x)	Weight
45(W)x64(L) x40	960mm	6°	6km/h	23kg	

on Full Battery Based on manufacturer's specification

The Luggies smart folding system makes it the world's most compact scooter. Lightweight, user-friendly and the folding and unfolding really is as easy as it looks.









- Alloy aluminium chassis frame
- Folds compactly for ease of transport & storage
- Super light weight, lifts easily into trunk of any car
- Battery removes easily
- Adjustable steering height and angle
- Comfortable seat with two height adjustments
- State of the art, speed control for safe operation
- Rear wheel drive train via direct trans axle

Luggie Super						
Unfolded Dimension	Ground Clearance	Battery	Max Climb	Max Distance*	Weight Capacity	
51.5(W)x102(L) x86(H) cm	64mm	10.5 Amp	60mm	20.9km	163kg	
Folded Dimension	Motor	Turning Radius	Max Slope	Speed (Max)	Weight	
51.5(W)x41(L) x67(H) cm	24V DC Magnet	910mm	6°	6km/h	26kg	
on Full Battery		Based on ma	n manufacturer's specification			