

sales@scooterland.net.au

www.scooterland.net.au

Scooterland Mobility

Scooterland Mobility was incorporated circa 2001 and is an individually owned business specialising in the supply of mobility equipment such as Mobility Scooter, Wheelchairs, Daily Living Aids, and offers sales, service and repair, and hire to Logan through to the Gold Coast and Hinterland.

At Scooterland, we work closely with our clients to establish their needs and offer a solution that suits any budgets and purposes.

Who do we work with...

- People who want the freedom of Independent living
- Support organisations including support service agencies, aged care facilities
- Shopping centres, theme parks and the tourist industry, to provide mobility solution to visitors, shoppers and holiday makers
- Government programs such as N.D.I.S, M.A.S.S., CAEATI and DVA that provide subsidised equipment and support services



Looking for something else that is not on our catalogue, email us at sales@scooterland.net.au, we can source it for you.







Mobility TEK—Travel Chair

A smart innovation to combine state-of-art design with functionality into a travel chair that can be unfolded within 3 sec. It is ideal for shopping centre, villages and cruise.

Feature:

- 1. Max Weight Capacity: 120Kg
- 2. Big Rear Wheel for comfort and stability
- 3. Lithium Batteries with individual power indicator
- 4. Can operate with even one battery
- 5. Batteries comes with MSDS for air travel







Mobility Tek - Tek 88M

Length	Width	Height	Max Climb	Ground Clearance	Max Slope	Max Distance*	Speed(Max)	Weight Capacity
960mm/ 580mm	' ' 40mm		65mm	10°	18-22km	6km/h	120kg	
Battery		Motor		Turning Radius	Weight	Seat Width	Batt Charger	BackRest Height
2x24 V 6Ah		250W x 2		835mm	26.5kg	460mm	2A OffBoard	410mm
on Full Battery				Based on manufacturer's specification				



sales@scooterland.net.au





2-in-1 Powered Wheelchair

Feature:

1. Max Weight Capacity: 120Kg

2. Can be converted to manual wheelchair in seconds

3. Powerful motor

4. Compact & Foldable

 Reinforced Height and Width adjustable armrest



2-in-1 P	owered	Wheel Ch	air						
Length	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight	
Length	width	neight	Climb	Clearance	Slope	Distance*	Speeu(Iviax)	Capacity	
11040m	520mm	1m 880- 930mm -	10°	25km	8km/h	120kg			
m	32011111		40111111		10	238111	OKITI/TI	120kg	
Pot	tone	Motor		Turning Dadius	Weight	Seat	Datt Charger	BackRest	
Battery		Motor		Turning Radius	(w/oB)	Width	Batt Charger	Height	
24 V 30Ah		200W DC24Vx2		870mm	33.4kg	460mm	3A OffBoard	-	
on Full Battery				Based on manufacturer's specification					



Rovi Power Chair

Feature:

1. Max Weight Capacity: 136Kg

2. Mid wheel Drive for better comfort

3. Can be tilt, recline

4. Powerful motor for better performance

Rovi								
Length	Width	Height	Max Climb	Ground Clearance	Max Slope	Max Distance*	Speed(Max)	Weight Capacity
1115mm	680mm	900mm	40mm	75mm	8°	27km	8km/h	136kg
Battery		Motor		Turning Radius	Weight	Seat Width	Batt Charger	BackRest Height
12 V 60Ah		4 Pole		508mm	80kg	460mm	3A OffBoard	-
on Full Battery				Based on manufacturer's specification				









HS 1500—Pull Apart Power Chair

Feature:

1. Max Weight Capacity: 115Kg

2. Easily Transportable

3. Fit in the car boot

4. Mid Drive for better control

Front section	10.5kg
Drive Unit	12.8kg
Seat	14.5kg
Pattony Boy	10.2kg

HS 1500								
Length	Width	Height	Max Climb	Ground Clearance	Max Slope	Max Distance*	Speed(Max)	Weight Capacity
810mm	600mm	935mm	23mm	40mm	6°	8.4km	6km/h	115kg
Battery		Motor		Turning Radius	Weight	Seat Width	Batt Charger	BackRest Height
2x12 V 14Ah		150W		695mm	47.8kg	470mm	2A OffBoard	-
on Full Battery				Based on r				



HS 1000

Feature:

1. Max Weight Capacity: 135Kg

2. Big Motor for handling uneven terrain

3. Reinforce Seat Column

HS 1000)							
Length	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight
- Lingin			Climb	Clearance	Slope	Distance*	Special(many	Capacity
953mm	600mm	1030mm	40mm	60mm	8°	24.5km	6.5km/h	135kg
Pot	Battery		or	Turning Radius	Weight	Seat	Batt Charger	BackRest
Dat	tery	Motor				Width		Height
2x12 V 36Ah		420W		805mm	80kg	460mm	3A OffBoard	-
on Full Battery					Based on manufacturer's specification			



HS 2800—Powerful

1. Max Weight Capacity: 135Kg

2. Can handle uneven terrain

3. Captain Seat for comfort

4. Colour : Red & Blue

	CTM HS2	800 - Coi	mfy Power	Chair					
ı	Length	Width	height	Max Climb	Ground	Max	Max	Speed	Weight
N	cengen	cengan widan	neight	Wax Cillia	Clearance	Slope	Distance *	(Max)	Capacity
ı	104cm	58cm	106cm 4cm		4.6cm	6°	23km	6.4kmh	136kg
1	Battery		Motor		Charger	Turning Radius	Max Slope	seat Width	Weight
	12V 36 Ah x 2 2		2 Motor mid Wheel Drive		3A onBoard	568mm	8°	48.2cm	118kg
	on Full Batte	ery				Based on i	manufacture	r's specificat	tion



sales@scooterland.net.au





2. Compact, durable mid-wheel drive

3. Adjustable leg rest placement and armrest width

4. Seat to floor height adjustment from 16" -20"

Pulse 4								
Length	Width	Height	Max Climb	Ground Clearance	Max Slope	Max Distance*	Speed(Max)	Weight Capacity
860mm	620mm	880- 930mm	40mm	30mm	10°	25km	6km/h	136kg
Battery		Motor		Turning Radius	Weight	Seat Width	Batt Charger	BackRest Height
12 V 36Ah		200W DC24Vx2		457mm	113kg	16,18,20	2A OffBoard	18"-24"
on Full Battery		Based on manufacturer's specification				·		

Pulse 5

Feature:

1. Max Weight Capacity: 136Kg

2. Ideal for small house and compact environment

3. Mid wheel drive

4. Offer wide range of effective seating and electronic options





	Pulse 5								
	Length V	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight
	Length	width	певис	Climb	Clearance	Slope	Distance*	Speed(Iviax)	Capacity
	860mm 620mm	880-	40mm	30mm	10°	25km	10km/h	136kg	
		020111111	930mm	40111111	3011111	10	ZOKIII	20111/11	150Kg
	Battery		Motor		Turning Radius	Weight	Seat	Batt Charger	BackRest
			IVIO	.01	Turring Naulus	weight	Width	batt Charger	Height
	12 V 50Ah		-		457mm	113kg	16,18,20	5A OffBoard	18"-24"
	on Full Battery		Based on manufacturer's specification						



Rovi Power Chair

Feature:

1. Max Weight Capacity: 136Kg

2. Larger Seat and bigger Motor

3. Improved Suspension

4. Reinforce Seat Column

Rovi				4. Reiniorce Seat Column							
Length	Width	Height	Max	Ground	Max	Max	Speed(Max)	Weight			
Length		neight	Climb	Clearance	Slope	Distance*	Speeu(Iviax)	Capacity			
1115mm	680mm	900mm	40mm	75mm	8°	27km	8km/h	136kg			
Pat	terv	Motor		Turning Radius	Weight	Seat	Batt Charger	BackRest			
Dat	tery	IVIO	.OI	Turring Naulus	weight	Width	Batt Charger	Height			
12 V 60Ah		4 Pole		508mm	80kg	460mm	3A OffBoard	-			
on Full B	on Full Battery			Based on manufacturer's specification							