

SALES + REPAIR + SERVICE + RENTAL

### **Scooterland Mobility**

Scooterland Mobility was incorporated circa 2001 and is an individually owned business specialising in the supply of mobility equipment such as Mobility Scooter, Wheelchairs, Daily Living Aids, and offers sales, service and repair, and hire to Logan through to the Gold Coast and Hinterland.

At Scooterland, we work closely with our clients to establish their needs and offer a solution that suits any budgets and purposes.

# Who do we work with..

- People who want the freedom of Independent living
- Support organisations including support service agencies, aged care facilities
- Shopping centres, theme parks and the tourist industry, to provide mobility solution to visitors, shoppers and holiday makers
- Government programs such as N.D.I.S, M.A.S.S., CAEATI and DVA that provide subsidised equipment and support services



4 8	Wentworth Ave
Harper St E	oti
and the second s	Cotlew St.
Harper St Simore Ra	Cotlew St W
R m	
	Golden Palms C1
S.V.	Sara
	a de la companya de l
Kanvho/tz Chaucer Par	k L
Ashmore 23	
	San Mateo Blvd
Contraction Contra	Valerie St
	ile i
Nut To Varehouse Glenmore Park	ar i
Ashmore Glenmore Park	Can

Looking for something else that is not on our catalogue, email us at sales@scooterland.net.au, we can source it for you.





Days Tra	ansit WC		Model 314-D			
Weight Capacity	Weight Weight		Back Seat Height Wheels			
100kg	10kg	460mm	410mm	Solid 6",8"		

- Lightweight/ Aluminium
- Bigger rear wheels for comfort

Bariatri	c Transit	WC	Model 315-D			
Weight Capacity	Weight (Frame)	Seat Width	Back Seat Height	Wheels		
200kg	22kg	820mm	-	Solid 6",8"		

•

- Double cross brace provides a rigid performance.
- Weight capacity up to 200kg (32st).
- Reinforced steel frame provides added support.
- Heavy-duty, nylon reinforced upholstery with a back carry pouch for storage



		sit	Model 333-C			
Weight Capacity	Weight (Frame)	Seat Width	Back Seat Height	Wheels		
100kg	10.3kg	460mm	440mm	Solid 6",8"		

- Lightweight/ Aluminium
- Bigger rear wheels for comfort

Stowaw	ay WC	Model 316-C			
Weight Capacity	Weight (Frame)	Seat Width	Back Seat Height	Wheels	
110kg	12.5kg	440mm	400mm	Solid 6",8"	

- Fold down armrests for easy transfer
- Innovative frame folds to a compact size
- Durable Aluminium and Steel construction



Omega WC Model 337-M				
	Model 337-M			
Weight CapacityWeight (Frame)Back Seat HeightWheels				
125kg 11.5kg 450mm 400mm Solid 6",12				

- Lightweight/ Aluminium
- Bigger rear wheels for comfort



Scooterland MOBILITY

sales@scooterland.net.au

Sa	Scooter MOBIL						_	-	7 5539 2141
	T	1.31	S	wift Tra Weight		eight	Model 311	Back Rest	
		5		Capacity		ame)	Seat Width	1 Height	Wheels
	H			115kg	8	kg	430mm	400mm	Solild 6", 8"
	Swift Transi	t C/Brake	• Model 331-		•		um frame is st is adjustal	only 8kg ble to fit under	the table
	Weight Capacity	Weight (Frame)	Seat Width	Back   Heig		v	/heels	N	
	115kg	8kg	410mm	475r	mm	Solil	d 6", 18"	A	A-A
	$M_{\rm M} = 0$			Lightv	veight/ A	lumin	ium		
			•	•	•		for comfort	- 6	
			Trans	porter-	AWC1	36	Model 331-	F	
		Fai	Wei	ght	Weight	Se	eat Width	Back Rest	Wheels
			Capa 110	-	(Frame) 11.5kg		510mm	Height 450mm	Solid 6", 12"
	1			-	_				
		9	•		le braceo ack armi		iinium frame		-
L			•	-	ble back			1	
	Paediatric-	JM221	Model 312-						
ם ב	Weight Capacity	Weight (Frame)	Seat Width	Back F Heig		w	heels		
υ	110kg	12.5kg	410mm	450n	nm	Solid	6", 12"		-al-
		-		Ste	el frame	!			
Û		R	<u> </u>	o Sol	id tyre				1 44
Û		74	Sam	ore A3	Paedia	atric		Model 333-W	
2 3				eight 	Weig		Seat Width	Back Rest	Wheels
5	Ľ	Part		pacity 10kg	(Fram deper	-	12",14"	Height adjustable	Solid 6", 12"
a	C	58			<b></b>		&16"		
Manua			B	Swi Adji Soli	ing-away ustable \$ id Sea &	/ heigł Seat D Back	nt adjustable )epth & Heig	iht am Cushion	dren

Swift Self F	Propelled		Model 321-D	
Weight Capacity	Weight (Frame)	Seat Width	Back Rest Height	Wheels
115kg	7.8kg	16" & 18"	410mm	Solid 8", 24"



- Quick release rear wheels for transportation
- Fixed Armrest, Swing-away removable leg rests



Scooterland



Excel G4 W	heelchair- A	WC138	Model 322-F		
Weight Capacity	Dimension	Weight (Frame)	Seat Width	Back Rest Height	Wheels
136kg	1070x680x 940mm	16.9kg	510mm	430mm	Solid 8", 24"

- Suitable for hospitals, nursing home & other institutional use
- Heavy Duty Frame
- Back Flip Armrest

Excel G4 W	heelchair- A	WC140	Model 341-F			
Weight Capacity	Dimension	Weight (Frame)	Seat Width	Back Rest Height	Wheels	
136kg	1070x680x 940mm	17.9kg	510mm	430mm	Solid 8", 24"	

Height adjustable, flip-up/removeable armrest

•

- Height adjustable leg rest and carer brake
- Spill proof nylon seat

Excel G4 Wheelchair- AWC144/145/146 (Prescription)									
Weight Capacity	Dimension	Weight (Frame)	Seat Width	Back Rest Height	Wheels				
140kg	1070x680x	17.9kg	400/460/	480-530	Solid				
	940mm	0	510 mm	mm	180/600mm				

- Fully adaptable prescription wheelchair– can be tailored to individual with host of accessory choices
- Heavy Duty Construction
- Available accessories: Stump support, elevating leg rest, various foot plate length, wheel guard, tray table, oxygen bottles holder Lap belt, IV Pole etc
- Back rest with tension adjustable straps and foam padded upholstery cover
  - Anti-tipper bars- height adjustable





ales@scooterla	nd.net.a	au	0	mega (	SP1 WC		Model 325	5-M	
	-	-		Veight	Weight	Seat Wid	Back Seat		
		ļ		apacity	(Frame)		Height	Wheels	
The second second		2	L	125kg	13.4kg	460mm	420mm	Solid 7",24"	
A	A			•	Lightwe	ight Alumin	ium Frame	5	-
				•	•	backrest		T	
		Sea Eco	wc		Model	326-W		1 million	ha
- 0		Weight	Weight	Seat Wi	dth Back	V	Vheels	PPes /	a)
		Capacity 125kg	(Frame) 13.4kg	40,43,46	Hei	ght	6",24"	PAR	
		12516				•	0 ,24		
		•	Lightweigh		um Frame	9			
		2	Folding ba		to fit unde	er table			
			-					7.84	
	5				riatric   Veight	HD WC	Model 322 Back Seat	/-M	
		der.		_	rame)	eat Width	Height	Wheels	
			25	0kg	25kg	22"	420mm	6",24"	
	N.C.	247	Model 32	8-\//				(internet)	
Sea WC Weight	Weight		Back Sea						
	Frame)	Seat Width	Height	W	neels				
130kg	25kg	18",22"	420mm	6"	,24"		CHAN		1
• Light	weight Al	uminium Fra	ame				MB	KIN.	1
Retra	actable &	Removable	Armrest (H	leight + D	Depth)		LAC		1
-	-	e & Height F		r		-	- Car	10 00	/
• Adjus	stable Ter	nsion backro		- <b>b</b> 1			Model 32	9-C	
				nbow V	Neight		Back Seat		
	35			<u> </u>	Frame)	Seat Width	Height	Wheels	
			10	0kg	11kg -	42,45,48cm	n 420mm	7",24"	
		A	•	Lightwei	ight Alumi	nium Frame	e		
			•	Swing b	ack Armre	est			
			•	Adjustat	ole Tensio	n backrest	& seat		
Breezy 300	)	Model 321	.0-S						
_	/eight	Seat \	Nidth	Back		Wheels	7		
	rame) m 7.5kg	37/40/43/4	6/49/52cm	Heig 480/50	-	6",22"			
							6		
• Lig	htweight .	Aluminium F	-rame					MAU	

Removable Armrest

**Manual Wheel Chair** 

• Available in many configurations

### Scooterland MOBIL au

Start Int	tro WC(40	.5cm)	Model 3211-	C			Dscooterland.net.a
Weight Capacity	Overall Width	Weight (Frame)	Seat Width	Back Seat Height	Seat Depth	Wheels	
125kg	-	12kg	40.5cm	400-460mm	490mm	6".24"	

- Round Aluminium tube frame •
- Segmented swing away footrest
- **Removeable Side Panels**
- Nylon Seat and back upholstery



Poiter L	ever Drive.	WC	Model 3212	2-C		0
Weight Capacity	Overall Width	Weight (Frame)	Seat Width	Back Seat Height	Seat Depth	Wheels
120kg	60/63/69cm	18.5kg	40/43/49cm	42mm	420mm	Solid 6".24"

- Removable Swing away leg rest, calf strap
- Gear lever allows forward or reverse propulsion
- Lever drive mechanism is use d to propel wheelchair with a pushforward pullback motion by one hand
- Available in many configurations, Left/Right Hand Drive

Glide One Arm Drive WC			Model 321	3-C			
Weight	Overall	Weight	Seat Width	Back Seat	Seat	Wheels	
Capacity	Width	(Frame)	Seat whith	Height	Depth	wheels	
100kg	62/65/68cm	14.5kg	40/43/46cm	400mm	420mm	Solid 6".24"	7

- Removable Swing away leg rest, calf strap
- Dual push rims (on one side) allow one armed propulsion
- **Durable Vinyl Upholstery**
- Available in many configurations, Left/Right Hand Drive

	Heavy Duty WC		Model 3214-C				
_	Weight Capacity	Overall Width	Weight (Frame)	Seat Width	Back Seat Height	Seat Depth	Wheels
	130kg	710mm	21kg	. ,		450mm	Solid 6".24"
	160kg	760mm	26kg	550mm	450mm	520mm	Solid 6".24"
R	180kg	810mm	26kg	600mm	450mm	520mm	Solid 6".24"
	200kg	860mm	26kg	650mm	450mm	520mm	Solid 6".24"
	220kg	910mm	26kg	700mm	450mm	520mm	Solid 6".24"
	260kg	1010mm	27kg	800mm	450mm	520mm	Solid 6".24"

- **Enforced Steel Frame**
- Removable Armrest & Leg rests
- Solid Tyre and Reinforced Front Castors
- **Durable Vinyl Upholstery**
- Available in many configurations





EC2000 16'	', 18",20" Ch	irome			
Weight Capacity	Weight (Frame)	Seat Width	Seat Depth	Back Rest Height	Wheels
113/136kg	18.5kg	16"/18"/ 20"	16"	16"	Solid

- Heavy Duty Frame with Dual position for rear axle
- Fixed / Removable/Desk Armrest (Options)
- Fixed/ Swing-away/Elevating Riggings
- Suitable for hospitals, nursing home & other institutional use

EC2000 HD	Chrome (22	"/ 24")				
Weight Capacity	Weight (Frame)	Seat Width	Seat Depth	Back Rest Height	Wheels	
204.5kg	26kg	22" - 30"	16"/18"/20 "/ 22-30"	16"/18"/20"/ 22-30"	Solid	Ñ

- Heavy Duty Frame
- Removable/Desk Armrest (Options)
- Swing-away/Elevating Riggings

	EC2000 HD	Bariatric Chi	ome			
-	Weight Capacity	Weight (Frame)	Seat Width	Seat Depth	Back Rest Height	Wheels
D	318kg	36kg	26"/28"/ 30"	20"	18"	Solid

- Heavy Duty Frame
- Removable Desk Armrest
- Swing-away/Elevating Riggings

#### JAY Seating Options available for EC2000 wheelchair



#### **JAY Basic Back**

The Jay Basic Back has been redesigned to easily adapt to standard wheelchairs. Choose strap-style hardware for easy attachment - just strap around wheelchair back canes. The clamp-style hardware provides 0° and 8° of angle adjustability and snaps easily into place.

- Designed for clients with mild postural needs
- Provides mild posterior pelvic-stabilization and thoracic support
- Three height options provide a more personalized fit
- Lightweight for improved propelling efficiency and easy transport •
- Lightweight, contoured, aluminium shell and soft foam insert

#### **JAY Basic Cushion**

The Jay Basic provides a soft and durable support for clients with mild postural needs who are at low risk for skin breakdown. Available for 14"-24" chair