

Wheelchairs



6

Scooterland M O B I L I T Y Gold Coast

00

07-5539 2141

2/165 Currumburra Road, Ashmore QLD 4214

sales@scooterland.com.au

www.scooterland.com.au

SALES + REPAIR + SERVICE + RENTAL

Scooterland Mobility

Scooterland Mobility was incorporated circa 2001 and is an individually owned business specialising in the supply of mobility equipment such as Mobility Scooter, Wheelchairs, Daily Living Aids, and offers sales, service and repair, and hire to Logan through to the Gold Coast and Hinterland.

At Scooterland, we work closely with our clients to establish their needs and offer a solution that suits any budgets and purposes.

Who do we work with..

- People who want the freedom of Independent living
- Support organisations including support service agencies, aged care facilities
- Shopping centres, theme parks and the tourist industry, to provide mobility solution to visitors, shoppers and holiday makers
- Government programs such as N.D.I.S, M.A.S.S., CAEATI and DVA that provide subsidised equipment and support services



Looking for something else that is not on our catalogue, email us at sales@scooterland.net.au, we can source it for you.





Days Tra	ansit WC		MO	BILITY)
Weight Capacity	Weight (Frame)	Seat Width	Back Seat Height	Wheels	
100kg	10kg	460mm	410mm	Solid 6",8"	

Lightweight/ Aluminium

Bigger rear wheels for comfort

Bariatri	c Transit	WC	Model 315-D		
Weight Capacity	Weight (Frame)	Seat Width	Back Seat Height	Wheels	
200kg	22kg	820mm	-	Solid 6",8"	



SCOOTERLAND

- Double cross brace provides a rigid performance.
- Weight capacity up to 200kg (32st).
- Reinforced steel frame provides added support.
- Heavy-duty, nylon reinforced upholstery with a back carry pouch for storage



Vitro Pl	us - Tran	sit	Model 333-C		
Weight Capacity	Weight (Frame)	Seat Width	Back Seat Height	Wheels	
100kg	10.3kg	460mm	440mm	Solid 6",8"	

- Lightweight/ Aluminium
- Bigger rear wheels for comfort

Stowaw	ay WC	Model 316-C		
Weight Capacity	Weight (Frame)	Seat Width	Back Seat Height	Wheels
110kg	12.5kg	440mm	400mm	Solid 6",8"

- Fold down armrests for easy transfer
- Innovative frame folds to a compact size
- **Durable Aluminium and Steel construction**



Omega	wc		Model 337-M		
Weight	Weight	Seat Width	Back Seat	Wheels	
Capacity	(Frame)	Seat Witth	Height	wheels	
125kg	11.5kg	450mm	400mm	Solid 6",12"	

- Lightweight/ Aluminium
- Bigger rear wheels for comfort

07 - 5539 2141

Swift Trans	it	Model 311-D		
Weight Capacity	Weight (Frame)	Seat Width	Back Rest Height	Wheels
115kg	8kg	430mm	400mm	Solild 6", 8"

Ultra light—Aluminium frame is only 8kg

• Armrest is adjustable to fit under the table

Swift Transit C/Brake		Model 331-	D	
Weight Capacity	Weight (Frame)	Seat Width	Back Rest Height	Wheels
115kg	8kg	410mm	475mm	Solild 6", 18"



Lightweight/ Aluminium	

Bigger rear wheels for comfort

Transporte	r-AWC136	Model 331-F		
Weight Capacity	Weight (Frame)	Seat Width	Back Rest Height	Wheels
110kg	11.5kg	510mm	450mm	Solid 6", 12"

- Double braced aluminium frame
 - Flip back armrest
 - Foldable backrest

Paediatric-JM221		Model 312-	W	
Weight Capacity	Weight (Frame)	Seat Width	Back Rest Height	Wheels
110kg	12.5kg	410mm	450mm	Solid 6", 12"





Steel frame

 Solid ty 	Solid tyre							
Samore A3	Paediatric	Model 333-W						
Weight Capacity	Weight (Frame)	Seat Width	Back Rest Height	Wheels				
110kg	depend	12",14" &16"	adjustable	Solid 6", 12"				

- Best Tilt manual wheelchair for growing children
- Swing-away height adjustable footrest
- Adjustable Seat Depth & Height
- Solid Sea & Backrest with Foam Cushion
- Head Support, Trunk Support & Pommel



Swift Self P	ropelled	Model 321-D		
Weight Capacity	Weight (Frame)	Seat Width	Back Rest Height	Wheels
115kg	7.8kg	16" & 18"	410mm	Solid 8", 24"

• Ultra light—Aluminium frame is only 7.8kg

- Quick release rear wheels for transportation
- Fixed Armrest, Swing-away removable leg rests





Excel G4 W	heelchair- A	WC138	Model 3	22-F	
Weight Capacity	Dimension	Weight (Frame)	Seat Width	Back Rest Height	Wheels
136kg	1070x680x 940mm	16.9kg	510mm	430mm	Solid 8", 24"

- Suitable for hospitals, nursing home & other institutional use
- Heavy Duty Frame
- Back Flip Armrest

Excel G4 Wheelchair- AWC140			Model 341	L-F		
Weight Capacity	Dimension	Weight (Frame)	Seat Width	Back Rest Height	Wheels	
136kg	1070x680x 940mm	17.9kg	510mm	430mm	Solid 8", 24"	

- Height adjustable, flip-up/removeable armrest
- Height adjustable leg rest and carer brake
- Spill proof nylon seat

Excel G4 W	Excel G4 Wheelchair- AWC144/145/146 (Prescription)										
Weight Capacity	Dimension	Weight (Frame)	Seat Width	Back Rest Height	Wheels						
140kg	1070x680x	17.9kg	400/460/	480-530	Solid						
	940mm	17.5%g	510 mm	mm	180/600mm						

Fully adaptable prescription wheelchair– can be tailored to individual with host of accessory choices

Heavy Duty Construction

Available accessories: Stump support, elevating leg rest, various foot plate length, wheel guard, tray table, oxygen bottles holder Lap belt, IV Pole etc

Back rest with tension adjustable straps and foam padded upholstery cover

Anti-tipper bars- height adjustable





07 - 5539 2141

	Omora	SP1 WC		Model 325	-M
Fr	Weight	Weight		Back Seat	
	Capacity	(Frame)	Seat Width	Height	Wheels
	125kg	13.4kg	460mm	420mm	Solid 7",24"
	•	Liahtwei	ight Aluminiu	m Frame	5 -
	•	•	backrest		
Sea Eco WC		Model			1
Weight Weigh	t	Back	Seat		E (10)
Capacity (Frame	Seat Wi	dtn Hei	ght	eels	1000
125kg 13.4kg	40,43,46	5cm 420n	nm 6",	,24"	
Lightwei	ght Alumini	ium Frame			
Folding	backrest				
Adjusta	ble Armres	t to fit unde	er table		
	mega Ba	riatric H	ID WC	Model 327-	-M
		Voight	B	ack Seat	Mile I-
		Frame)		Height	Wheels
	250kg	25kg	22" 4	420mm	6",24"
Sea WC Model	328-W				finan A
Weight Weight Back S	eat			77	
Capacity (Frame) Seat Width Heig	W	heels			
130kg 25kg 18",22" 420m	m 6'	',24"		CHE C	
Lightweight Aluminium Frame				419	KII.
Retractable & Removable Armrest	: (Height + [Depth)			
Height & Angle & Height Front cas	tor				
Adjustable Tension backrest &				•	
	ainbow			Model 329)-C
	-	Weight S	eat Width	Back Seat	Wheels
	apacity (100kg	Frame) 11kg 4	12,45,48cm	Height 420mm	7",24"
				1201111	1 121
	-	•	nium Frame		0
	•	back Armre			
Breezy 300 Model 3210-S	Adiusta	ible l'ensio	n backrest &	seat	
Weight Weight	Back	Seat			0
Capacity (Frame) Seat Width		ight	Wheels		
120kg from 7.5kg 37/40/43/46/49/52	cm 480/5	05mm	6",22"		778
Lightweight Aluminium Frame				Y	0
Removable Armrest					
Available in many configurations	6				



Start In	tro WC(40	.5cm)	Model 3211-	·C			
Weight Capacity	Overall Width	Weight (Frame)	Seat Width	Back Seat Height	Seat Depth	Wheels	
125kg	-	12kg	40.5cm	400-460mm	490mm	6".24"	

- Round Aluminium tube frame
- Segmented swing away footrest
- Removeable Side Panels
- Nylon Seat and back upholstery

Weight Capacity Overall Width Weight (Frame) Seat Width Back Seat Height Seat 120kg 60/63/69cm 18.5kg 40/43/49cm 42mm 420mm Solid 6".24"	Poiter L	ever Drive.	WC	Model 3212	2-C		
120kg 60/63/69cm 18.5kg 40/43/49cm 42mm 420mm Solid 6".24"				Seat Width			Wheels
	120kg	60/63/69cm	18.5kg	40/43/49cm	42mm	420mm	Solid 6".24"

- Removable Swing away leg rest, calf strap
- Gear lever allows forward or reverse propulsion
- Lever drive mechanism is use d to propel wheelchair with a pushforward pullback motion by one hand
- Available in many configurations, Left/Right Hand Drive

Glide One Arm Drive WC Model 3213-C Weight Overall Weight Seat Width Back Seat

Capacity		(Frame)	Seat Width	Height	Depth	Wheels
100kg	62/65/68cm	14.5kg	40/43/46cm	400mm	420mm	Solid 6".24"

- Removable Swing away leg rest, calf strap
- Dual push rims (on one side) allow one armed propulsion
- Durable Vinyl Upholstery
- Available in many configurations, Left/Right Hand Drive

	Heavy Duty WC		Model 321	Model 3214-C					
	Weight Capacity	Overall Width	Weight (Frame)	Seat Width	Back Seat Height	Seat Depth	Wheels		
	130kg	710mm	21kg	500mm	450mm	450mm	Solid 6".24"		
	160kg	760mm	26kg	550mm	450mm	520mm	Solid 6".24"		
R	180kg	810mm	26kg	600mm	450mm	520mm	Solid 6".24"		
7	200kg	860mm	26kg	650mm	450mm	520mm	Solid 6".24"		
	220kg	910mm	26kg	700mm	450mm	520mm	Solid 6".24"		
	260kg	1010mm	27kg	800mm	450mm	520mm	Solid 6".24"		

- Enforced Steel Frame
- Removable Armrest & Leg rests
- Solid Tyre and Reinforced Front Castors
- Durable Vinyl Upholstery
- Available in many configurations

07 - 5539 2141



EC2000 16'	', 18",20" Ch	rome			
Weight Capacity	Weight (Frame)	Seat Width	Seat Depth	Back Rest Height	Wheels
113/136kg	18.5kg	16"/18"/ 20"	16"	16"	Solid

Heavy Duty Frame with Dual position for rear axle

- Fixed / Removable/Desk Armrest (Options)
- Fixed/ Swing-away/Elevating Riggings
- Suitable for hospitals, nursing home & other institutional use

EC2000 HD	Chrome (22	"/ 24")			
Weight Capacity	Weight (Frame)	Seat Width	Seat Depth	Back Rest Height	Wheels
204.5kg	26kg	22" - 30"	16"/18"/20 "/ 22-30"	16"/18"/20"/ 22-30"	Solid

- Heavy Duty Frame
- Removable/Desk Armrest (Options)
- Swing-away/Elevating Riggings

EC2000 HD	Bariatric Chi	ome			
Weight Capacity	Weight (Frame)	Seat Width	Seat Depth	Back Rest Height	Wheels
318kg	36kg	26"/28"/ 30"	20"	18"	Solid

- Heavy Duty Frame
- Removable Desk Armrest
- Swing-away/Elevating Riggings

JAY Seating Options available for EC2000 wheelchair



JAY Basic Back

The Jay Basic Back has been redesigned to easily adapt to standard wheelchairs. Choose strap-style hardware for easy attachment - just strap around wheelchair back canes. The clamp-style hardware provides 0° and 8° of angle adjustability and snaps easily into place.

- Designed for clients with mild postural needs
- Provides mild posterior pelvic-stabilization and thoracic support
- Three height options provide a more personalized fit
- Lightweight for improved propelling efficiency and easy transport •
- Lightweight, contoured, aluminium shell and soft foam insert

JAY Basic Cushion

The Jay Basic provides a soft and durable support for clients with mild postural n who are at low risk for skin breakdown. Available for 14"-24" chair